




COVID-19

Identification and safety solutions

COVID-19

Identification and safety solutions



Contents

3	COVID-19
4	Safety identification
4	Danger
7	Prohibition
14	Mandatory
27	SPC - absorbents and spill control
27	High visibility safety & chemical mat
28	Chemical - UN pads & rolls
29	HandySorb mop
30	Spill kits
34	Accessories
35	Spill containment
36	Area marking
36	ToughStripe™
43	Permanent area marking tape
45	Barricade & underground tapes
46	Warning posts & chains
48	Heavy duty floor stands & economy floor stands

Dear customers & followers,

At Brady, we are closely monitoring the impact of COVID-19 (corona virus) and we have successfully implemented countermeasures to stay operational and ensure business continuity in a safe way, and in full compliance with government regulations. At this point, we continue our production, are able to take your orders, and we are doing everything we can to ensure timely deliveries. We aim to continue to respond to your identification and safety needs for your people, products and premises.

Your Brady EMEA teams

▶ Recent updates

See any recent updates or COVID-19 related identification and safety solutions for your people, products and premises.

www.brady.eu/en-eu/general-pages/coronavirus



COVID-19 General Safety Information

SITE SAFETY

- Wash your hands regularly
- Keep a safe distance of at least 2 metres
- Cough or sneeze into the crease of the elbow or in a tissue
- Avoid contact
- Avoid touching your face
- Stay at home if you are ill

Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Laminated Polyester					
306820	371	252	Landscape	SITE SAFETY	1 / PACK



COVID-19 Social Distancing

STOP: RESPECT SOCIAL DISTANCE

Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Laminated Polyester					
306832	800	80	Landscape	STOP RESPECT SOCIAL DISTANCING	1 / PACK



COVID-19 Reception

SITE SAFETY

- People who have been in a high-risk Covid-19 area or in contact with an infected person are not permitted to visit
- People with fever, cough, sore throat or other flu-like symptoms are not permitted to visit
- No handshakes
- Wash or disinfect your hands
- Keep a safe distance of at least 2 metre
- Cough or sneeze into the crease of the elbow or in a tissue

SITE SAFETY

- People who have been in a high-risk Covid-19 area or in contact with an infected person are not permitted to visit
- People with fever, cough, sore throat or other flu-like symptoms are not permitted to visit
- Wear mask
- Wear gloves
- Keep a safe distance of at least 2 metre

Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Laminated Polyester					
306808	262	371	Portrait	SITE SAFETY	1 / PACK
306814	262	371	Portrait	SITE SAFETY	1 / PACK



306808



306814

Hand Wash Instructions

HAND-CLEANING INSTRUCTIONS

- Wet hands with water
- Apply soap and rub hands for 20-30 seconds
- Rinse hands with water
- Dry hands with paper towel
- Throw paper towel in bin

Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Laminated Polyester					
306826	262	371	Portrait	HAND-CLEANING INSTRUCTIONS	1 / PACK



Danger

Complies with EN ISO 7010

W001 : WARNING; GENERAL SIGN

The W001 danger symbol is the most basic and general. For this reason, it is essential to position it with a legend clarifying the danger. It is advisable to indicate a danger, the action to avoid and the appropriate means of protection around a machine.



SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
826613	50	43	7 / Pack
826615	100	87	3 / Pack
826616	200	173	1 / Pack
826617	315	273	1 / Pack
Polypropylene			
826619	100	87	1 / Pack
826620	200	173	1 / Pack
826621	315	273	1 / Pack
Aluminium			
826622	100	87	1 / Pack
826623	200	173	1 / Pack
826624	315	273	1 / Pack

FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Anti-skid Laminated Polyester			
826618	500	433	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
139003	10	9	54 / Pack
139004	20	17	15 / Pack
826611	25	22	13 / Pack
Vinyl			
826609	15	13	54 / Pack



PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester				
836767	150	130	Class B	1 / Pack
Class B Photoluminescent Polypropylene				
836766	150	130	Class B	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
826610	25	22	250 / Roll
826612	50	43	250 / Roll
826614	100	87	250 / Roll



The W001 danger symbol must be positioned with a legend clarifying the danger.

BRADY
Customise-it

See page 196 to order your custom-made signs.

Complies with EN ISO 7010

W009 : WARNING; BIOLOGICAL HAZARD

Warn of potential biological hazards around the workplace that could be harmful to employees and visitors.



SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
827649	50	43	7 / Pack
827651	100	87	3 / Pack
827652	200	173	1 / Pack
827653	315	273	1 / Pack
Polypropylene			
827655	100	87	1 / Pack
827656	200	173	1 / Pack
827657	315	273	1 / Pack
Aluminium			
827658	100	87	1 / Pack
827659	200	173	1 / Pack
827660	315	273	1 / Pack

FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Anti-skid Laminated Polyester			
827654	500	433	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
139020	10	9	54 / Pack
139021	20	17	15 / Pack
827647	25	22	13 / Pack
Vinyl			
827645	15	13	54 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
827646	25	22	250 / Roll
827648	50	43	250 / Roll
827650	100	87	250 / Roll

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
Laminated Polyester					
827708	150	50	Landscape	Warning; Biological hazard	1 / Pack
827709	297	74	Landscape	Warning; Biological hazard	1 / Pack
827711	450	150	Landscape	Warning; Biological hazard	1 / Pack
827712	600	200	Landscape	Warning; Biological hazard	1 / Pack
827705	148	210	Portrait	Warning; Biological hazard	1 / Pack
827706	210	297	Portrait	Warning; Biological hazard	1 / Pack
827710	297	105	Portrait	Warning; Biological hazard	1 / Pack
827707	297	420	Portrait	Warning; Biological hazard	1 / Pack
Polypropylene					
827716	150	50	Landscape	Warning; Biological hazard	1 / Pack
827717	297	74	Landscape	Warning; Biological hazard	1 / Pack
827719	450	150	Landscape	Warning; Biological hazard	1 / Pack
827720	600	200	Landscape	Warning; Biological hazard	1 / Pack
827713	148	210	Portrait	Warning; Biological hazard	1 / Pack
827714	210	297	Portrait	Warning; Biological hazard	1 / Pack
827718	297	105	Portrait	Warning; Biological hazard	1 / Pack
827715	297	420	Portrait	Warning; Biological hazard	1 / Pack
Aluminium					
827724	150	50	Landscape	Warning; Biological hazard	1 / Pack
827726	450	150	Landscape	Warning; Biological hazard	1 / Pack
827721	148	210	Portrait	Warning; Biological hazard	1 / Pack
827722	210	297	Portrait	Warning; Biological hazard	1 / Pack
827725	297	105	Portrait	Warning; Biological hazard	1 / Pack
827723	297	420	Portrait	Warning; Biological hazard	1 / Pack



PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester				
836163	150	130	Class B	1 / Pack
Class C Photoluminescent Polyester				
836164	150	130	Class C	1 / Pack
Class B Photoluminescent Polypropylene				
836161	150	130	Class B	1 / Pack
Class C Photoluminescent Polypropylene				
836162	150	130	Class C	1 / Pack
Class C Photoluminescent Aluminium				
836160	150	130	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

W016 : WARNING; TOXIC MATERIAL

Toxic materials must be identified so appropriate methods can be taken to store the product safely.



SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
828685	50	43	7 / Pack
828687	100	87	3 / Pack
828688	200	173	1 / Pack
828689	315	273	1 / Pack
Polypropylene			
828691	100	87	1 / Pack
828692	200	173	1 / Pack
828693	315	273	1 / Pack
Aluminium			
828694	100	87	1 / Pack
828695	200	173	1 / Pack
828696	315	273	1 / Pack

FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Anti-skid Laminated Polyester			
828690	500	433	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
138996	10	9	54 / Pack
828683	25	22	13 / Pack
Vinyl			
828681	15	13	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
Laminated Polyester					
828744	150	50	Landscape	Warning; Toxic material	1 / Pack
828745	297	74	Landscape	Warning; Toxic material	1 / Pack
828747	450	150	Landscape	Warning; Toxic material	1 / Pack
828748	600	200	Landscape	Warning; Toxic material	1 / Pack
828741	148	210	Portrait	Warning; Toxic material	1 / Pack
828742	210	297	Portrait	Warning; Toxic material	1 / Pack
828746	297	105	Portrait	Warning; Toxic material	1 / Pack
828743	297	420	Portrait	Warning; Toxic material	1 / Pack
Polypropylene					
828752	150	50	Landscape	Warning; Toxic material	1 / Pack
828753	297	74	Landscape	Warning; Toxic material	1 / Pack
828755	450	150	Landscape	Warning; Toxic material	1 / Pack
828756	600	200	Landscape	Warning; Toxic material	1 / Pack
828749	148	210	Portrait	Warning; Toxic material	1 / Pack
828750	210	297	Portrait	Warning; Toxic material	1 / Pack
828754	297	105	Portrait	Warning; Toxic material	1 / Pack
828751	297	420	Portrait	Warning; Toxic material	1 / Pack
Aluminium					
828760	150	50	Landscape	Warning; Toxic material	1 / Pack
828762	450	150	Landscape	Warning; Toxic material	1 / Pack
828757	148	210	Portrait	Warning; Toxic material	1 / Pack
828758	210	297	Portrait	Warning; Toxic material	1 / Pack
828761	297	105	Portrait	Warning; Toxic material	1 / Pack
828759	297	420	Portrait	Warning; Toxic material	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
Laminated Polyester			
828682	25	22	250 / Roll
828684	50	43	250 / Roll
828686	100	87	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester				
836781	150	130	Class B	1 / Pack
Class B Photoluminescent Polypropylene				
836777	150	130	Class B	1 / Pack



Use CLP-symbol GHS06 for indicating the dangers of the contents in packages that need to be shipped (see page 221).



For all material properties and applications, see pages 4-5



See page 196 to order your custom-made signs.

Complies with EN ISO 7010

P001 : GENERAL PROHIBITION SIGN

The P001 prohibition symbol is the most basic and general. For this reason, it is essential to position it with a key clarifying the ban.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
821845	50	2 / Pack
821847	100	1 / Pack
821848	200	1 / Pack
821849	315	1 / Pack
Polypropylene		
821851	100	1 / Pack
821852	200	1 / Pack
821853	315	1 / Pack
Aluminium		
821855	100	1 / Pack
821856	200	1 / Pack
821857	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/ Pack
Anti-skid Laminated Polyester		
821850	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
821843	25	7 / Pack
Vinyl		
821841	15	54 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
821842	25	250 / Roll
821844	50	250 / Roll
821846	100	250 / Roll

i For all material properties and applications, see pages 4-5

BRADY Customise-it

See page 196 to order your custom-made signs.



The P001 prohibition symbol is the most basic and general. For this reason, it is essential to position it with a key clarifying the ban.

Prohibition

Complies with EN ISO 7010

P009 : No CLIMBING

To avoid any falls or damage to equipment, a sign banning climbing must sometimes be put up.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
135747	100	1 / Pack
135748	150	1 / Pack
135749	200	1 / Pack
138840	315	1 / Pack
Polypropylene		
135741	100	1 / Pack
135742	150	1 / Pack
135743	200	1 / Pack
138894	315	1 / Pack
Aluminium		
135744	100	1 / Pack
135745	150	1 / Pack
135746	200	1 / Pack



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester			
135756	100	Class B	1 / Pack
135757	150	Class B	1 / Pack
135758	200	Class B	1 / Pack
Class C Photoluminescent Polyester			
135765	100	Class C	1 / Pack
135766	150	Class C	1 / Pack
135767	200	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
135750	100	Class B	1 / Pack
135751	150	Class B	1 / Pack
135752	200	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
135759	100	Class C	1 / Pack
135760	150	Class C	1 / Pack
135761	200	Class C	1 / Pack
Class C Photoluminescent Aluminium			
135762	100	Class C	1 / Pack
135763	150	Class C	1 / Pack
135764	200	Class C	1 / Pack

Complies with EN ISO 7010

P010 : Do NOT TOUCH

Prohibiting touching can be indicated for various reasons: avoiding an injury, preventing fragile objects from being touched etc.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
823037	50	2 / Pack
823039	100	1 / Pack
823040	200	1 / Pack
823041	315	1 / Pack
Polypropylene		
823043	100	1 / Pack
823044	200	1 / Pack
823045	315	1 / Pack
Aluminium		
823047	100	1 / Pack
823048	200	1 / Pack
823049	315	1 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
Polypropylene					
823105	150	50	Landscape	Do not touch	1 / Pack
823106	297	74	Landscape	Do not touch	1 / Pack
823108	450	150	Landscape	Do not touch	1 / Pack
823109	600	200	Landscape	Do not touch	1 / Pack
823102	148	210	Portrait	Do not touch	1 / Pack
823103	210	297	Portrait	Do not touch	1 / Pack
823107	297	105	Portrait	Do not touch	1 / Pack
823104	297	420	Portrait	Do not touch	1 / Pack
Aluminium					
823113	150	50	Landscape	Do not touch	1 / Pack
823115	450	150	Landscape	Do not touch	1 / Pack
823110	148	210	Portrait	Do not touch	1 / Pack
823111	210	297	Portrait	Do not touch	1 / Pack
823114	297	105	Portrait	Do not touch	1 / Pack
823112	297	420	Portrait	Do not touch	1 / Pack
Laminated Polyester					
823097	150	50	Landscape	Do not touch	1 / Pack
823098	297	74	Landscape	Do not touch	1 / Pack
823100	450	150	Landscape	Do not touch	1 / Pack
823101	600	200	Landscape	Do not touch	1 / Pack
823094	148	210	Portrait	Do not touch	1 / Pack
823095	210	297	Portrait	Do not touch	1 / Pack
823099	297	105	Portrait	Do not touch	1 / Pack
823096	297	420	Portrait	Do not touch	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
823035	25	7 / Pack
Vinyl		
823033	15	54 / Pack

PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester			
835936	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835937	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835934	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835935	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835933	150	Class C	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
823034	25	250 / Roll
823036	50	250 / Roll
823038	100	250 / Roll

Complies with EN ISO 7010

P022 : No EATING OR DRINKING

Eating or drinking in certain places may be prohibited. This must therefore be clearly indicated.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824676	50	2 / Pack
824678	100	1 / Pack
824679	200	1 / Pack
824680	315	1 / Pack
Polypropylene		
824682	100	1 / Pack
824683	200	1 / Pack
824684	315	1 / Pack
Aluminium		
824686	100	1 / Pack
824687	200	1 / Pack
824688	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
824681	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824674	25	7 / Pack
Vinyl		
824672	15	54 / Pack



SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
824744	150	50	Landscape	No eating or drinking	1 / Pack
824745	297	74	Landscape	No eating or drinking	1 / Pack
824747	450	150	Landscape	No eating or drinking	1 / Pack
824748	600	200	Landscape	No eating or drinking	1 / Pack
824741	148	210	Portrait	No eating or drinking	1 / Pack
824742	210	297	Portrait	No eating or drinking	1 / Pack
824746	297	105	Portrait	No eating or drinking	1 / Pack
824743	297	420	Portrait	No eating or drinking	1 / Pack
Aluminium					
824752	150	50	Landscape	No eating or drinking	1 / Pack
824754	450	150	Landscape	No eating or drinking	1 / Pack
824749	148	210	Portrait	No eating or drinking	1 / Pack
824750	210	297	Portrait	No eating or drinking	1 / Pack
824753	297	105	Portrait	No eating or drinking	1 / Pack
824751	297	420	Portrait	No eating or drinking	1 / Pack
Laminated Polyester					
824736	150	50	Landscape	No eating or drinking	1 / Pack
824737	297	74	Landscape	No eating or drinking	1 / Pack
824739	450	150	Landscape	No eating or drinking	1 / Pack
824740	600	200	Landscape	No eating or drinking	1 / Pack
824733	148	210	Portrait	No eating or drinking	1 / Pack
824734	210	297	Portrait	No eating or drinking	1 / Pack
824738	297	105	Portrait	No eating or drinking	1 / Pack
824735	297	420	Portrait	No eating or drinking	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824673	25	250 / Roll
824675	50	250 / Roll
824677	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
836051	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
836053	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
836049	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
836050	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
836048	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

Prohibition

Complies with EN ISO 7010

P024 : Do NOT WALK OR STAND HERE

Advising that walking and standing are prohibited may be important for the safety of pedestrians.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824974	50	2 / Pack
824976	100	1 / Pack
824977	200	1 / Pack
824978	315	1 / Pack
Polypropylene		
824980	100	1 / Pack
824981	200	1 / Pack
824982	315	1 / Pack
824983	400	1 / Pack
Aluminium		
824984	100	1 / Pack
824985	200	1 / Pack
824986	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
824979	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824972	25	7 / Pack
Vinyl		
824970	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
825042	150	50	Landscape	Do not walk or stand here	1 / Pack
825043	297	74	Landscape	Do not walk or stand here	1 / Pack
825045	450	150	Landscape	Do not walk or stand here	1 / Pack
825046	600	200	Landscape	Do not walk or stand here	1 / Pack
825039	148	210	Portrait	Do not walk or stand here	1 / Pack
825040	210	297	Portrait	Do not walk or stand here	1 / Pack
825044	297	105	Portrait	Do not walk or stand here	1 / Pack
825041	297	420	Portrait	Do not walk or stand here	1 / Pack
Aluminium					
825050	150	50	Landscape	Do not walk or stand here	1 / Pack
825052	450	150	Landscape	Do not walk or stand here	1 / Pack
825047	148	210	Portrait	Do not walk or stand here	1 / Pack
825048	210	297	Portrait	Do not walk or stand here	1 / Pack
825051	297	105	Portrait	Do not walk or stand here	1 / Pack
825049	297	420	Portrait	Do not walk or stand here	1 / Pack
Laminated Polyester					
825034	150	50	Landscape	Do not walk or stand here	1 / Pack
825035	297	74	Landscape	Do not walk or stand here	1 / Pack
825037	450	150	Landscape	Do not walk or stand here	1 / Pack
825038	600	200	Landscape	Do not walk or stand here	1 / Pack
825031	148	210	Portrait	Do not walk or stand here	1 / Pack
825032	210	297	Portrait	Do not walk or stand here	1 / Pack
825036	297	105	Portrait	Do not walk or stand here	1 / Pack
825033	297	420	Portrait	Do not walk or stand here	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
824971	25	250 / Roll
824973	50	250 / Roll
824975	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
836063	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
836064	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
836061	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
836062	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
836060	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

Complies with EN ISO 7010

P028 : Do NOT WEAR GLOVES

To protect the hands, gloves are sometimes compulsory. However, in other circumstances, these same gloves are prohibited.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
825570	50	2 / Pack
825572	100	1 / Pack
825573	200	1 / Pack
825574	315	1 / Pack
Polypropylene		
825576	100	1 / Pack
825577	200	1 / Pack
825578	315	1 / Pack
Aluminium		
825580	100	1 / Pack
825581	200	1 / Pack
825582	315	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
825568	25	7 / Pack
Vinyl		
825566	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
825638	150	50	Landscape	Do not wear gloves	1 / Pack
825639	297	74	Landscape	Do not wear gloves	1 / Pack
825641	450	150	Landscape	Do not wear gloves	1 / Pack
825642	600	200	Landscape	Do not wear gloves	1 / Pack
825635	148	210	Portrait	Do not wear gloves	1 / Pack
825636	210	297	Portrait	Do not wear gloves	1 / Pack
825640	297	105	Portrait	Do not wear gloves	1 / Pack
825637	297	420	Portrait	Do not wear gloves	1 / Pack
Aluminium					
825646	150	50	Landscape	Do not wear gloves	1 / Pack
825648	450	150	Landscape	Do not wear gloves	1 / Pack
825643	148	210	Portrait	Do not wear gloves	1 / Pack
825644	210	297	Portrait	Do not wear gloves	1 / Pack
825647	297	105	Portrait	Do not wear gloves	1 / Pack
825645	297	420	Portrait	Do not wear gloves	1 / Pack
Laminated Polyester					
825630	150	50	Landscape	Do not wear gloves	1 / Pack
825631	297	74	Landscape	Do not wear gloves	1 / Pack
825633	450	150	Landscape	Do not wear gloves	1 / Pack
825634	600	200	Landscape	Do not wear gloves	1 / Pack
825627	148	210	Portrait	Do not wear gloves	1 / Pack
825628	210	297	Portrait	Do not wear gloves	1 / Pack
825632	297	105	Portrait	Do not wear gloves	1 / Pack
825629	297	420	Portrait	Do not wear gloves	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
825567	25	250 / Roll
825569	50	250 / Roll
825571	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
836083	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
836084	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
836081	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
836082	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
836080	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

Prohibition

Complies with EN ISO 7010

P042 : Not for Pregnant Women

To prohibit pregnant women undertaking hazardous actions or activities



SIGNS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
196983	50	2 / Pack
196984	100	1 / Pack
196985	200	1 / Pack
196986	315	1 / Pack
Polypropylene		
196987	100	1 / Pack
196988	200	1 / Pack
196989	315	1 / Pack
Aluminium		
196990	100	1 / Pack
196991	200	1 / Pack
196992	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/ Pack
Anti-skid Laminated Polyester		
197028	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
197021	20	18 / Pack
197022	25	7 / Pack
197023	30	15 / Pack
Vinyl		
197019	15	54 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/ Pack
Laminated Polyester		
197025	25	250 / Pack
197026	50	250 / Pack
197027	100	250 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
Polypropylene					
197000	150	50	Landscape	No pregnant women allowed	1 / Pack
197001	297	105	Landscape	No pregnant women allowed	1 / Pack
197002	450	150	Landscape	No pregnant women allowed	1 / Pack
197003	600	200	Landscape	No pregnant women allowed	1 / Pack
197004	148	210	Portrait	No pregnant women allowed	1 / Pack
197005	210	297	Portrait	No pregnant women allowed	1 / Pack
197006	297	420	Portrait	No pregnant women allowed	1 / Pack
Aluminium					
197007	150	50	Landscape	No pregnant women allowed	1 / Pack
197008	297	105	Landscape	No pregnant women allowed	1 / Pack
197009	450	150	Landscape	No pregnant women allowed	1 / Pack
197010	148	210	Portrait	No pregnant women allowed	1 / Pack
197011	210	297	Portrait	No pregnant women allowed	1 / Pack
197013	297	420	Portrait	No pregnant women allowed	1 / Pack
Laminated Polyester					
196993	150	50	Landscape	No pregnant women allowed	1 / Pack
196994	297	105	Landscape	No pregnant women allowed	1 / Pack
196995	450	150	Landscape	No pregnant women allowed	1 / Pack
196996	600	200	Landscape	No pregnant women allowed	1 / Pack
196997	148	210	Portrait	No pregnant women allowed	1 / Pack
196998	210	297	Portrait	No pregnant women allowed	1 / Pack
196999	297	420	Portrait	No pregnant women allowed	1 / Pack

PHOTOLUMINESCENT SIGNS



Order Ref.	Diameter (mm)	Class	Total Qty/ Pack
Class B Photoluminescent Polyester			
197014	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
197015	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
197017	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
197018	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
197587	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.



PIC 209 (=PIC 2110) : No access for unauthorised persons

It is important to be able to limit access to certain spaces to authorised people. This limitation may be for safety reasons or just simply to keep some spaces 'private'.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
250019	100	1 / Pack
250020	200	1 / Pack
222922	315	1 / Pack
Polypropylene		
222923	100	1 / Pack
Aluminium		
257999	100	1 / Pack
255016	200	1 / Pack
255017	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
223653	500	1 / Pack




PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
251960	25	250 / Roll
223325	50	250 / Roll
223326	100	250 / Roll



SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
195924	148	210	Portrait	No access for unauthorised persons	1 / Pack
195922	150	450	Portrait	No access for unauthorised persons	1 / Pack
195923	210	297	Portrait	No access for unauthorised persons	1 / Pack

PHOTOLUMINESCENT SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Class	Legend	Total Qty/Pack
Class B Photoluminescent Polyester					
836127	200	100	Class B	No admittance Authorised personnel only	1 / Pack
836128	250	100	Class B	No admittance Authorised personnel only	1 / Pack
Class B Photoluminescent Polypropylene					
836125	200	100	Class B	No admittance Authorised personnel only	1 / Pack
836126	250	100	Class B	No admittance Authorised personnel only	1 / Pack



PIC 900 : No smoking of electronic cigarettes

With the appearance of electronic cigarettes, it has been necessary to clarify the places where they are prohibited or authorised, to avoid any confusion. For information, the texts of interior laws and regulations generally prohibit smoking, without defining the nature of this smoking. This ban therefore applies to tobacco cigarettes and to electronic cigarettes.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
138478	100	1 Sign(s) / Pack
138479	200	1 Sign(s) / Pack
Polypropylene		
138480	100	1 Sign(s) / Pack
138481	200	1 Sign(s) / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Legend	Total Qty/Pack
Laminated Polyester				
138482	210	297	No smoking of electronic cigarettes	1 / Pack
Polypropylene				
138487	210	297	No smoking of electronic cigarettes	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
138477	50	250 / Pack

MO01 : GENERAL MANDATORY SIGN

The MO01 obligation symbol is the most general and basic. For this reason, it must be positioned with a caption clarifying the obligation.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
814160	50	2 / Pack
814162	100	1 / Pack
814163	200	1 / Pack
814164	315	1 / Pack
Polypropylene		
814166	100	1 / Pack
814167	200	1 / Pack
814168	315	1 / Pack
814169	400	1 / Pack
Aluminium		
814170	100	1 / Pack
814171	200	1 / Pack
814172	315	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
814158	25	7 / Pack
Vinyl		
814156	15	54 / Pack




PICTOGRAMS ON ROLLS


Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
814157	25	250 / Roll
814159	50	250 / Roll
814161	100	250 / Roll

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

i  The MO01 obligation symbol is the most general and basic. For this reason, it must be positioned with a caption clarifying the obligation.

The explanation next to the symbol may be printed using a Brady printer (see page 236)



SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
814228	150	50	Landscape	Keep fire door shut	1 / Pack
814229	297	74	Landscape	Keep fire door shut	1 / Pack
814230	297	105	Landscape	Keep fire door shut	1 / Pack
814231	450	150	Landscape	Keep fire door shut	1 / Pack
814232	600	200	Landscape	Keep fire door shut	1 / Pack
814225	148	210	Portrait	Keep fire door shut	1 / Pack
814226	210	297	Portrait	Keep fire door shut	1 / Pack
814227	297	420	Portrait	Keep fire door shut	1 / Pack
Aluminium					
814236	150	50	Landscape	Keep fire door shut	1 / Pack
814237	297	105	Landscape	Keep fire door shut	1 / Pack
814238	450	150	Landscape	Keep fire door shut	1 / Pack
814233	148	210	Portrait	Keep fire door shut	1 / Pack
814234	210	297	Portrait	Keep fire door shut	1 / Pack
814235	297	420	Portrait	Keep fire door shut	1 / Pack
Laminated Polyester					
814220	150	50	Landscape	Keep fire door shut	1 / Pack
814221	297	74	Landscape	Keep fire door shut	1 / Pack
814222	297	105	Landscape	Keep fire door shut	1 / Pack
814223	450	150	Landscape	Keep fire door shut	1 / Pack
814224	600	200	Landscape	Keep fire door shut	1 / Pack
814217	148	210	Portrait	Keep fire door shut	1 / Pack
814218	210	297	Portrait	Keep fire door shut	1 / Pack
814219	297	420	Portrait	Keep fire door shut	1 / Pack

PHOTOLUMINESCENT SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Class	Legend	Total Qty/Pack
Class B Photoluminescent Polyester					
835541	100	100	Class B	Fire escape keep clear	1 / Pack
835581	100	100	Class B	This door to be kept shut when not in use	1 / Pack
835525	250	100	Class B	Employees only	1 / Pack
835527	250	100	Class B	Fire door keep locked	1 / Pack
835542	250	100	Class B	Fire escape keep clear	1 / Pack
835561	250	100	Class B	Automatic fire door keep clear	1 / Pack
Class B Photoluminescent Polypropylene					
835562	100	100	Class B	This door to be kept shut when not in use	1 / Pack
835524	250	100	Class B	Employees only	1 / Pack
835526	250	100	Class B	Fire door keep locked	1 / Pack
835529	250	100	Class B	Fire escape keep clear	1 / Pack



Complies with EN ISO 7010

MO09 : WEAR PROTECTIVE GLOVES

Protective gloves, depending on which kind, may protect from heat, cold, cuts, etc. Choosing them well and wearing them reinforces the safety of hands and therefore that of the employee.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819163	50	2 / Pack
819165	100	1 / Pack
819166	200	1 / Pack
819167	315	1 / Pack
Polypropylene		
819169	100	1 / Pack
819170	200	1 / Pack
819171	315	1 / Pack
819172	400	1 / Pack
Aluminium		
819173	100	1 / Pack
819174	200	1 / Pack
819175	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
819168	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
138971	24	18 / Pack
819161	25	7 / Pack
Vinyl		
819159	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
819231	150	50	Landscape	Wear protective gloves	1 / Pack
819232	297	74	Landscape	Wear protective gloves	1 / Pack
819233	297	105	Landscape	Wear protective gloves	1 / Pack
819234	450	150	Landscape	Wear protective gloves	1 / Pack
819235	600	200	Landscape	Wear protective gloves	1 / Pack
819228	148	210	Portrait	Wear protective gloves	1 / Pack
819229	210	297	Portrait	Wear protective gloves	1 / Pack
819230	297	420	Portrait	Wear protective gloves	1 / Pack
Aluminium					
819239	150	50	Landscape	Wear protective gloves	1 / Pack
819240	297	105	Landscape	Wear protective gloves	1 / Pack
819241	450	150	Landscape	Wear protective gloves	1 / Pack
819236	148	210	Portrait	Wear protective gloves	1 / Pack
819237	210	297	Portrait	Wear protective gloves	1 / Pack
819238	297	420	Portrait	Wear protective gloves	1 / Pack
Laminated Polyester					
819223	150	50	Landscape	Wear protective gloves	1 / Pack
819224	297	74	Landscape	Wear protective gloves	1 / Pack
819225	297	105	Landscape	Wear protective gloves	1 / Pack
819226	450	150	Landscape	Wear protective gloves	1 / Pack
819227	600	200	Landscape	Wear protective gloves	1 / Pack
819220	148	210	Portrait	Wear protective gloves	1 / Pack
819221	210	297	Portrait	Wear protective gloves	1 / Pack
819222	297	420	Portrait	Wear protective gloves	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819160	25	250 / Roll
819162	50	250 / Roll
819164	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835663	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835664	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835661	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835662	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835660	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.



PHOTOLUMINESCENT SIGNS WITH TEXT

Order Ref.	Width (mm)	Height (mm)	Class	Legend	Total Qty/Pack
Class B Photoluminescent Polyester					
835659	300	400	Class B	Hand protection must be worn	1 / Pack
Class B Photoluminescent Polypropylene					
835658	300	400	Class B	Hand protection must be worn	1 / Pack



MO10 : WEAR PROTECTIVE CLOTHING

Depending on the work involved, clothing is made available to workers for their protection and occasionally that of the products being manufactured.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819312	50	2 / Pack
819314	100	1 / Pack
819315	200	1 / Pack
819316	315	1 / Pack
Polypropylene		
819318	100	1 / Pack
819319	200	1 / Pack
819320	315	1 / Pack
819321	400	1 / Pack
Aluminium		
819322	100	1 / Pack
819323	200	1 / Pack
819324	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
819317	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
138991	20	18 / Pack
819310	25	7 / Pack
Vinyl		
819308	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
819380	150	50	Landscape	Wear protective clothing	1 / Pack
819381	297	74	Landscape	Wear protective clothing	1 / Pack
819382	297	105	Landscape	Wear protective clothing	1 / Pack
819383	450	150	Landscape	Wear protective clothing	1 / Pack
819384	600	200	Landscape	Wear protective clothing	1 / Pack
819377	148	210	Portrait	Wear protective clothing	1 / Pack
819378	210	297	Portrait	Wear protective clothing	1 / Pack
819379	297	420	Portrait	Wear protective clothing	1 / Pack
Aluminium					
819388	150	50	Landscape	Wear protective clothing	1 / Pack
819389	297	105	Landscape	Wear protective clothing	1 / Pack
819390	450	150	Landscape	Wear protective clothing	1 / Pack
819385	148	210	Portrait	Wear protective clothing	1 / Pack
819386	210	297	Portrait	Wear protective clothing	1 / Pack
819387	297	420	Portrait	Wear protective clothing	1 / Pack
Laminated Polyester					
819372	150	50	Landscape	Wear protective clothing	1 / Pack
819373	297	74	Landscape	Wear protective clothing	1 / Pack
819374	297	105	Landscape	Wear protective clothing	1 / Pack
819375	450	150	Landscape	Wear protective clothing	1 / Pack
819376	600	200	Landscape	Wear protective clothing	1 / Pack
819369	148	210	Portrait	Wear protective clothing	1 / Pack
819370	210	297	Portrait	Wear protective clothing	1 / Pack
819371	297	420	Portrait	Wear protective clothing	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819309	25	250 / Roll
819311	50	250 / Roll
819313	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835670	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835671	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835668	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835669	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835667	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it

See page 196 to order your custom-made signs.



PHOTOLUMINESCENT SIGNS WITH TEXT

Order Ref.	Width (mm)	Height (mm)	Class	Legend	Total Qty/Pack
Class B Photoluminescent Polyester					
835666	250	100	Class B	Wear protective clothing	1 / Pack
Class B Photoluminescent Polypropylene					
835665	250	100	Class B	Wear protective clothing	1 / Pack

Complies with EN ISO 7010

MO11 : WASH YOUR HANDS

Washing hands is one of the most effective ways to prevent the spread of many types of infection and illness in all workplaces.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819461	50	2 / Pack
819463	100	1 / Pack
819464	200	1 / Pack
819465	315	1 / Pack
Polypropylene		
819467	100	1 / Pack
819468	200	1 / Pack
819469	315	1 / Pack
819470	400	1 / Pack
Aluminium		
819471	100	1 / Pack
819472	200	1 / Pack
819473	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
819466	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819459	25	7 / Pack
Vinyl		
819457	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
819529	150	50	Landscape	Wash your hands	1 / Pack
819530	297	74	Landscape	Wash your hands	1 / Pack
819531	297	105	Landscape	Wash your hands	1 / Pack
819532	450	150	Landscape	Wash your hands	1 / Pack
819533	600	200	Landscape	Wash your hands	1 / Pack
819526	148	210	Portrait	Wash your hands	1 / Pack
819527	210	297	Portrait	Wash your hands	1 / Pack
819528	297	420	Portrait	Wash your hands	1 / Pack
Aluminium					
819537	150	50	Landscape	Wash your hands	1 / Pack
819538	297	105	Landscape	Wash your hands	1 / Pack
819539	450	150	Landscape	Wash your hands	1 / Pack
819534	148	210	Portrait	Wash your hands	1 / Pack
819535	210	297	Portrait	Wash your hands	1 / Pack
819536	297	420	Portrait	Wash your hands	1 / Pack
Laminated Polyester					
819521	150	50	Landscape	Wash your hands	1 / Pack
819522	297	74	Landscape	Wash your hands	1 / Pack
819523	297	105	Landscape	Wash your hands	1 / Pack
819524	450	150	Landscape	Wash your hands	1 / Pack
819525	600	200	Landscape	Wash your hands	1 / Pack
819518	148	210	Portrait	Wash your hands	1 / Pack
819519	210	297	Portrait	Wash your hands	1 / Pack
819520	297	420	Portrait	Wash your hands	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819458	25	250 / Roll
819460	50	250 / Roll
819462	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835675	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835678	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835673	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835674	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835672	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

M013 : WEAR FACE SHIELD

For work areas where there is a risk of flying objects or particles, a protective visor covering the entire face is essential.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819759	50	2 / Pack
819761	100	1 / Pack
819762	200	1 / Pack
819763	315	1 / Pack
Polypropylene		
819765	100	1 / Pack
819766	200	1 / Pack
819767	315	1 / Pack
819768	400	1 / Pack
Aluminium		
819769	100	1 / Pack
819770	200	1 / Pack
819771	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
819764	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819757	25	7 / Pack
Vinyl		
819755	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
819827	150	50	Landscape	Wear face shield	1 / Pack
819828	297	74	Landscape	Wear face shield	1 / Pack
819829	297	105	Landscape	Wear face shield	1 / Pack
819830	450	150	Landscape	Wear face shield	1 / Pack
819831	600	200	Landscape	Wear face shield	1 / Pack
819824	148	210	Portrait	Wear face shield	1 / Pack
819825	210	297	Portrait	Wear face shield	1 / Pack
819826	297	420	Portrait	Wear face shield	1 / Pack
Aluminium					
819835	150	50	Landscape	Wear face shield	1 / Pack
819836	297	105	Landscape	Wear face shield	1 / Pack
819837	450	150	Landscape	Wear face shield	1 / Pack
819832	148	210	Portrait	Wear face shield	1 / Pack
819833	210	297	Portrait	Wear face shield	1 / Pack
819834	297	420	Portrait	Wear face shield	1 / Pack
Laminated Polyester					
819819	150	50	Landscape	Wear face shield	1 / Pack
819820	297	74	Landscape	Wear face shield	1 / Pack
819821	297	105	Landscape	Wear face shield	1 / Pack
819822	450	150	Landscape	Wear face shield	1 / Pack
819823	600	200	Landscape	Wear face shield	1 / Pack
819816	148	210	Portrait	Wear face shield	1 / Pack
819817	210	297	Portrait	Wear face shield	1 / Pack
819818	297	420	Portrait	Wear face shield	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
819756	25	250 / Roll
819758	50	250 / Roll
819760	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835687	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835688	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835685	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835686	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835684	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

Complies with EN ISO 7010



M016 : WEAR A MASK

To prevent the release of and contamination by certain particles, wearing a mask is sometimes obligatory.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
820206	50	2 / Pack
820208	100	1 / Pack
820209	200	1 / Pack
820210	315	1 / Pack
Polypropylene		
820212	100	1 / Pack
820213	200	1 / Pack
820214	315	1 / Pack
820215	400	1 / Pack
Aluminium		
820216	100	1 / Pack
820217	200	1 / Pack
820218	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
820211	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
820204	25	7 / Pack
Vinyl		
820202	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
820274	150	50	Landscape	Wear a mask	1 / Pack
820275	297	74	Landscape	Wear a mask	1 / Pack
820276	297	105	Landscape	Wear a mask	1 / Pack
820277	450	150	Landscape	Wear a mask	1 / Pack
820278	600	200	Landscape	Wear a mask	1 / Pack
820271	148	210	Portrait	Wear a mask	1 / Pack
820272	210	297	Portrait	Wear a mask	1 / Pack
820273	297	420	Portrait	Wear a mask	1 / Pack
Aluminium					
820282	150	50	Landscape	Wear a mask	1 / Pack
820283	297	105	Landscape	Wear a mask	1 / Pack
820284	450	150	Landscape	Wear a mask	1 / Pack
820279	148	210	Portrait	Wear a mask	1 / Pack
820280	210	297	Portrait	Wear a mask	1 / Pack
820281	297	420	Portrait	Wear a mask	1 / Pack
Laminated Polyester					
820266	150	50	Landscape	Wear a mask	1 / Pack
820267	297	74	Landscape	Wear a mask	1 / Pack
820268	297	105	Landscape	Wear a mask	1 / Pack
820269	450	150	Landscape	Wear a mask	1 / Pack
820270	600	200	Landscape	Wear a mask	1 / Pack
820263	148	210	Portrait	Wear a mask	1 / Pack
820264	210	297	Portrait	Wear a mask	1 / Pack
820265	297	420	Portrait	Wear a mask	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
820203	25	250 / Roll
820205	50	250 / Roll
820207	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835705	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835706	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835703	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835704	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835699	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it

See page 196 to order your custom-made signs.

MO17 : WEAR RESPIRATORY PROTECTION

In the presence of fine particles which are a health hazard, a filter mask or any other means of protecting the respiratory tract may be compulsory.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
820355	50	2 / Pack
820357	100	1 / Pack
820358	200	1 / Pack
820359	315	1 / Pack
Polypropylene		
820361	100	1 / Pack
820362	200	1 / Pack
820363	315	1 / Pack
820364	400	1 / Pack
Aluminium		
820365	100	1 / Pack
820366	200	1 / Pack
820367	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
820360	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
139140	24	18 / Pack
820353	25	7 / Pack
138989	30	15 / Pack
Vinyl		
820351	15	54 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
820352	25	250 / Roll
820354	50	250 / Roll
820356	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835736	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835737	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835724	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835734	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835723	150	Class C	1 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
820423	150	50	Landscape	Wear respiratory protection	1 / Pack
820424	297	74	Landscape	Wear respiratory protection	1 / Pack
820425	297	105	Landscape	Wear respiratory protection	1 / Pack
820426	450	150	Landscape	Wear respiratory protection	1 / Pack
820427	600	200	Landscape	Wear respiratory protection	1 / Pack
820420	148	210	Portrait	Wear respiratory protection	1 / Pack
820421	210	297	Portrait	Wear respiratory protection	1 / Pack
820422	297	420	Portrait	Wear respiratory protection	1 / Pack
Aluminium					
820431	150	50	Landscape	Wear respiratory protection	1 / Pack
820432	297	105	Landscape	Wear respiratory protection	1 / Pack
820433	450	150	Landscape	Wear respiratory protection	1 / Pack
820428	148	210	Portrait	Wear respiratory protection	1 / Pack
820280	210	297	Portrait	Wear a mask	1 / Pack
820429	210	297	Portrait	Wear respiratory protection	1 / Pack
820430	297	420	Portrait	Wear respiratory protection	1 / Pack
Laminated Polyester					
820415	150	50	Landscape	Wear respiratory protection	1 / Pack
820416	297	74	Landscape	Wear respiratory protection	1 / Pack
820417	297	105	Landscape	Wear respiratory protection	1 / Pack
820418	450	150	Landscape	Wear respiratory protection	1 / Pack
820419	600	200	Landscape	Wear respiratory protection	1 / Pack
820413	210	297	Portrait	Wear respiratory protection	1 / Pack
820414	297	420	Portrait	Wear respiratory protection	1 / Pack

PHOTOLUMINESCENT SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Class	Legend	Total Qty/Pack
Class B Photoluminescent Polyester					
835713	250	100	Class B	Respirators must be worn in this area	1 / Pack
835718	300	400	Class B	Respirators must be worn in this area	1 / Pack
Class B Photoluminescent Polypropylene					
835707	250	100	Class B	Respirators must be worn in this area	1 / Pack
835708	300	400	Class B	Respirators must be worn in this area	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.

Complies with EN ISO 7010



M022 : USE BARRIER CREAM

Certain kinds of handling may require wearing a protective cream beforehand or afterwards.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821100	50	2 / Pack
821102	100	1 / Pack
821103	200	1 / Pack
821104	315	1 / Pack
Polypropylene		
821106	100	1 / Pack
821107	200	1 / Pack
821108	315	1 / Pack
821109	400	1 / Pack
Aluminium		
821110	100	1 / Pack
821111	200	1 / Pack
821112	315	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821098	25	7 / Pack
Vinyl		
821096	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
821168	150	50	Landscape	Use barrier cream	1 / Pack
821169	297	74	Landscape	Use barrier cream	1 / Pack
821170	297	105	Landscape	Use barrier cream	1 / Pack
821171	450	150	Landscape	Use barrier cream	1 / Pack
821172	600	200	Landscape	Use barrier cream	1 / Pack
821165	148	210	Portrait	Use barrier cream	1 / Pack
821166	210	297	Portrait	Use barrier cream	1 / Pack
821167	297	420	Portrait	Use barrier cream	1 / Pack
Aluminium					
821176	150	50	Landscape	Use barrier cream	1 / Pack
821177	297	105	Landscape	Use barrier cream	1 / Pack
821178	450	150	Landscape	Use barrier cream	1 / Pack
821173	148	210	Portrait	Use barrier cream	1 / Pack
821174	210	297	Portrait	Use barrier cream	1 / Pack
821175	297	420	Portrait	Use barrier cream	1 / Pack
Laminated Polyester					
821160	150	50	Landscape	Use barrier cream	1 / Pack
821161	297	74	Landscape	Use barrier cream	1 / Pack
821162	297	105	Landscape	Use barrier cream	1 / Pack
821163	450	150	Landscape	Use barrier cream	1 / Pack
821164	600	200	Landscape	Use barrier cream	1 / Pack
821157	148	210	Portrait	Use barrier cream	1 / Pack
821158	210	297	Portrait	Use barrier cream	1 / Pack
821159	297	420	Portrait	Use barrier cream	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821097	25	250 / Roll
821099	50	250 / Roll
821101	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835775	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835776	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835771	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835772	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835770	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it See page 196 to order your custom-made signs.



M024 : Use THIS WALKWAY

To enable people to work in proximity to machines, restricted areas and passages are recommended. The pedestrian area will then be indicated by this sign, and the non-pedestrian by the sign P004. Floor markings restricting these areas will generally complete this signage.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821398	50	2 / Pack
821400	100	1 / Pack
821401	200	1 / Pack
821402	315	1 / Pack
Polypropylene		
821404	100	1 / Pack
821405	200	1 / Pack
821406	315	1 / Pack
821407	400	1 / Pack
Aluminium		
821408	100	1 / Pack
821409	200	1 / Pack
821410	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
821403	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821396	25	7 / Pack
Vinyl		
821394	15	54 / Pack

SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/Pack
Polypropylene					
821466	150	50	Landscape	Use this walkway	1 / Pack
821467	297	74	Landscape	Use this walkway	1 / Pack
821468	297	105	Landscape	Use this walkway	1 / Pack
821469	450	150	Landscape	Use this walkway	1 / Pack
821470	600	200	Landscape	Use this walkway	1 / Pack
821463	148	210	Portrait	Use this walkway	1 / Pack
821464	210	297	Portrait	Use this walkway	1 / Pack
821465	297	420	Portrait	Use this walkway	1 / Pack
Aluminium					
821474	150	50	Landscape	Use this walkway	1 / Pack
821475	297	105	Landscape	Use this walkway	1 / Pack
821476	450	150	Landscape	Use this walkway	1 / Pack
821471	148	210	Portrait	Use this walkway	1 / Pack
821472	210	297	Portrait	Use this walkway	1 / Pack
821473	297	420	Portrait	Use this walkway	1 / Pack
Laminated Polyester					
821458	150	50	Landscape	Use this walkway	1 / Pack
821459	297	74	Landscape	Use this walkway	1 / Pack
821460	297	105	Landscape	Use this walkway	1 / Pack
821461	450	150	Landscape	Use this walkway	1 / Pack
821462	600	200	Landscape	Use this walkway	1 / Pack
821455	148	210	Portrait	Use this walkway	1 / Pack
821456	210	297	Portrait	Use this walkway	1 / Pack
821457	297	420	Portrait	Use this walkway	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
821395	25	250 / Roll
821397	50	250 / Roll
821399	100	250 / Roll



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835824	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835825	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835804	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835822	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835796	150	Class C	1 / Pack

i For all material properties and applications, see pages 4-5

BRADY Customise-it

See page 196 to order your custom-made signs.

i

Brady offers a full range of other methods of marking which identify floor areas, stairs, railings and other areas considered as danger zones. Contact your Brady distributor to find out more about our full range of area marking products.



Complies with EN ISO 7010



M029 : SOUND HORN

The horn may be sounded when entering certain areas to clearly indicate when a forklift is present, for example.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831019	50	2 / Pack
831021	100	1 / Pack
831022	200	1 / Pack
831023	315	1 / Pack
Polypropylene		
831025	100	1 / Pack
831026	200	1 / Pack
831027	315	1 / Pack
831028	400	1 / Pack
Aluminium		
831029	100	1 / Pack
831030	200	1 / Pack
831031	315	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831017	25	7 / Pack
Vinyl		
831015	15	54 / Pack



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835872	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835873	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835870	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835871	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835869	150	Class C	1 / Pack



PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831016	25	250 / Roll
831018	50	250 / Roll
831020	100	250 / Roll

Complies with EN ISO 7010



M030 : USE LITTER BIN

To keep an area clean, litter must be placed in the litter bin provided. This sign allows us to remind people in a clear, polite fashion.



SIGNS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831036	50	2 / Pack
831038	100	1 / Pack
831039	200	1 / Pack
831040	315	1 / Pack
Polypropylene		
831042	100	1 / Pack
831043	200	1 / Pack
831044	315	1 / Pack
831045	400	1 / Pack
Aluminium		
831046	100	1 / Pack
831047	200	1 / Pack
831048	315	1 / Pack

FLOOR MARKING

Order Ref.	Diameter (mm)	Total Qty/Pack
Anti-skid Laminated Polyester		
831041	500	1 / Pack

MINI-PICTOGRAMS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831034	25	7 / Pack
Vinyl		
831032	15	54 / Pack



PHOTOLUMINESCENT SIGNS

Order Ref.	Diameter (mm)	Class	Total Qty/Pack
Class B Photoluminescent Polyester			
835877	150	Class B	1 / Pack
Class C Photoluminescent Polyester			
835878	150	Class C	1 / Pack
Class B Photoluminescent Polypropylene			
835875	150	Class B	1 / Pack
Class C Photoluminescent Polypropylene			
835876	150	Class C	1 / Pack
Class C Photoluminescent Aluminium			
835874	150	Class C	1 / Pack

























PICTOGRAMS ON ROLLS

Order Ref.	Diameter (mm)	Total Qty/Pack
Laminated Polyester		
831033	25	250 / Roll
831035	50	250 / Roll
831037	100	250 / Roll

Mandatory















































Legend		
	M001 : General mandatory sign	155
	M002 : Refer to instruction manual/ booklet	156
	M003 : Wear ear protection	157
	M004 : Wear eye protection	158
	M005 : Connect an earth terminal to the ground	159
	M006 : Disconnect mains plug from electrical outlet	160
	M007 : Opaque eye protection must be worn	161
	M008 : Wear safety footwear	162
	M009 : Wear protective gloves	163
	M010 : Wear protective clothing	164
	M011 : Wash your hands	165
	M012 : Use handrail	166
	M013 : Wear face shield	167
	M014 : Wear head protection	168
	M015 : Wear high visibility clothing	169
	M016 : Wear a mask	170
	M017 : Wear respiratory protection	171
	M018 : Wear safety harness	172
	M019 : Wear welding mask	173
	M020 : Wear safety belts	174
	M021 : Disconnect before carrying out maintenance or repair	175

Legend		
	M022 : Use barrier cream	176
	M023 : Use footbridge	177
	M024 : Use this walkway	178
	M025 : Infants must be protected with opaque eye protection	179
	M026 : Use protective apron	180
	M027 : Check guard	181
	M028 : Keep locked	181
	M029 : Sound horn	182
	M030 : Use litter bin	182
	M031 : Use table saw adjustable guard	183
	M032 : Wear anti-static footwear	183
	M033 : Close safety bar of chairlift	184
	M034 : Open safety bar of chairlift	184
	M035 : Immediately leave the tow- track in the event of falling	185
	M036 : Lift ski tips	185
	M037 : Close and secure hatches in launch sequence	186
	M038 : Start engine in launch sequence	186
	M039 : Lower lifeboat to the water in launch sequence	187
	M040 : Lower liferaft to the water in launch sequence	187
	M041 : Lower rescue boat to the water in launch sequence	187
	M042 : Release falls in launch sequence	187

Legend		
	M043 : Start water spray in launch sequence	188
	M044 : Start air supply in launch sequence	188
	M045 : Release lifeboat gripes in launch sequence	188
	M046 : Secure gas cylinders	189
	M047 : Use self-contained breathing appliance	189
	M048 : Use gas detector	190
	M049 : Wear protective roll sport equipment	190
	M050 : Alighting from toboggan to the left	191
	M051 : Alighting from toboggan to the right	191
	M052 : Keep distances	192
	PIC 269 : Wear protective headgear	193
	PIC 280 : Wear protective footwear	192
	PIC 281 : Wear life jacket	194
	PIC 283 : Wear protective headgear	193
	PIC 286 : Wear hairnet	193
	PIC 1216 : Wheelchair access	194
	PIC 2209 : Wear lab coats	194
	PIC 2600 : Smoking allowed	195
	PIC 901 : Electronic cigarettes allowed	195




Symbol	Description	Page	Symbol	Description	Page	Symbol	Description	Page
	P001 : General prohibition sign	111		P019 : No stepping on surface	128		P037 : Do not leave the tow-track	144
	P002 : No smoking	112		P020 : Do not use lift in the event of fire	129		P038 : Do not swing the chair	144
	P002/PIC 900 : No smoking including electronic cigarettes	112		P021 : No dogs	130		P040 : Do not set off fireworks	145
	P003 : No open flame; Fire, open ignition source and smoking prohibited	113		P022 : No eating or drinking	131		P041 : No leaning against	146
	P004 : No thoroughfare	114		P023 : Do not obstruct	132		P042 : Not for pregnant women	147
	P005 : Not drinking water	115		P024 : Do not walk or stand here	133		P043 : Not for people in the state of intoxication	148
	P006 : No access for fork lift trucks and other industrial vehicles	116		P025 : Do not use this incomplete scaffold	134		P044 : Use of smart glasses prohibited	149
	P007 : No access for people with active implanted cardiac devices	117		P026 : Do not use this device in a bathtub, shower or water-filled reservoir	135		P046 : Do not stretch out of toboggan	150
	P008 : No metallic articles or watches	118		P027 : Do not use this lift for people	136		P047 : Do not ram into toboggan	151
	P009 : No climbing	119		P028 : Do not wear gloves	137		PIC 209 (=PIC 2110) : No access for unauthorised persons	152
	P010 : Do not touch	119		P029 : No photography	138		PIC 209 (=PIC 2110) : No access for unauthorised persons	152
	P011 : Do not extinguish with water	120		P030 : Do not tie knots in rope	139		PIC 900 : No smoking of electronic cigarettes	152
	P012 : No heavy load	121		P031 : Do not alter the state of the switch	140		PIC 225 : No parking	153
	P013 : No activated mobile phones	122		P032 : Do not use for face grinding	141		PIC 226 : No Stopping (Clearway)	153
	P014 : No access for persons with metallic implants	123		P033 : Do not use for wet grinding	141		PIC 227 : No waiting	153
	P015 : No reaching in	124		P034 : Do not use with hand-held grinding machine	142		PIC 228 : Prohibited for all types of vehicles	153
	P016 : Do not spray with water	125		P035 : Do not wear metal-studded footwear	143		PIC 229 : No entry	153
	P017 : No pushing	126		P036 : No children allowed	143			
	P018 : No sitting	127						

Danger

Symbol	Description	Page	Symbol	Description	Page	Symbol	Description	Page
	W001 : Warning; General sign	71		W022 : Warning; Sharp elements	93		PIC 2516 (PIC 313) : Warning; Explosive atmosphere	108
	W002 : Warning; Explosive material	72		W023 : Warning; Corrosive substance	94		PIC 321 : Warning; Toxic Irritant Health hazard	108
	W003 : Warning; Radioactive material or ionizing radiation	73		W024 : Warning; Crushing of hands	95		PIC 327 : Warning; Electrostatic	109
	W004 : Warning; laser beam	74		W025 : Warning; Counter rotating rollers	96		PIC 329 : Warning; Earth	109
	W005 : Warning; Non-ionizing radiation	75		W026 : Warning; Battery charging	97			
	W006 : Warning; Magnetic field	76		W027 : Warning; Optical radiation	98			
	W007 : Warning; Floor level obstacle	77		W028 : Warning; Oxidizing substance	99			
	W008 : Warning; Drop (fall)	78		W029 : Warning; Pressurised cylinder	100			
	W009 : Warning; Biological hazard	79		W030 : Warning; Hand crushing between press brake tool	101			
	W010 : Warning; Low temperature/ freezing conditions	80		W031 : Warning; Hand crushing between press brake tool	101			
	W011 : Warning; Slippery surface	81		W032 : Warning; Rapid movement of workpiece in press brake	102			
	W012 : Warning; Electricity	82		W033 : Warning; Barbed wire	102			
	W013 : Warning; Guard dog	84		W034 : Warning; Bull	103			
	W014 : Warning; Fork lift trucks and other industrial vehicles	85		W035 : Warning; Falling objects	103			
	W015 : Warning; Overhead load	86		W036 : Warning; Fragile roof	104			
	W016 : Warning; Toxic material	87		W037 : Warning; Run over by remote operator controlled machine	104			
	W017 : Warning; Hot surface	88		W038 : Warning; Sudden loud noise	105			
	W018 : Warning; Automatic start-up	89		W039 : Warning; Falling ice	105			
	W019 : Warning; Crushing	90		W040 : Warning; Roof avalance	106			
	W020 : Warning; Overhead obstacles	91		W041 : Warning; Asphyxiating atmosphere	106			
	W021 : Warning; Risk of fire/ Flammable materials	92		W042 : Warning; Arc flash	107			

CHEMICAL ABSORBENT FAMILY:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Absorbency Grades	Construction
High Visibility Safety & Chemical Mat Page 28	Applications with higher risk of slips, trips and falls. Foot traffic areas.	✓✓✓	Low Linting	Medium Weight	 3-PLY Spunbound - Meltblown - Meltblown coverstock, dimpled and perforated
Universal® Plus Pads, Rolls & Booms Page 29	For industrial applications where greater durability is needed with hazardous chemicals	✓✓	Medium Linting	Medium Weight	 2-PLY Meltblown + spunbound on 1 side, dimpled and (optional) perforated
Hazwik Socs & Pillows Page 30	To prevent spills from spreading, to absorb spills & leaks liquids in tight spaces				

i Increase Safety and Save: Colour Coded Waste Stream


Save on disposal costs by using different coloured absorbents in specific parts of you facility and throughout your waste streams.

For example: a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use grey universal absorbents for the rest of their facility. A colour coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



HIGH VISIBILITY SAFETY & CHEMICAL MAT

- Sign and absorbent all in one.
- High visibility, safety mat for all purpose fluid pick-up and hazardous chemical.
- Colour-coded yellow for safety and easy separation of hazardous waste
- 3-ply construction (Spunbound, Meltblown and Meltblown coverstock)
- Product will not react with aggressive fluids



Order Reference	Article No.	Description	Perforated	Total Qty/Pack	Absorption Capacity (Ltrs)
Pad					
CH100	107688	High visibility safety mat, 38 cm x 48 cm		100 Pad(s) / Box	110
CH200	134818	High visibility safety mat, 38 cm x 48 cm		200 Pad(s) / Box	144
Roll					
CH15P	107690	Safety mat, 38 cm x 46 m, medium weight, perforated & bonded	Every 46 cm	1 Roll(s) / Bag	73
CH30DP	107691	Safety mat, 76 cm x 46 m, medium weight, double perforated & bonded	Every 38 cm and up centre of roll	1 Roll(s) / Bag	147
CH303	134360	High visibility safety mat, 76 cm x 92 m, medium weight, double perforated & bonded	Every 38 cm and up centre of roll	1 Roll(s) / Bag	243


i RECOMMENDED APPLICATIONS

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Laboratories and hospitals
- Any industrial application utilising aggressive fluids
- Foot traffic areas or where extra durability is needed

UN PADS & ROLLS -

FOR USE WHEN CHEMICALS AND HAZARDOUS LIQUIDS ARE INVOLVED!

- Absorb a wide range of chemicals, including acids and caustics.
- One-sided spunbond gives extra strength as well as lower lint.
- Chemically inert: product does not degrade or cause a dangerous chemical reaction with the adsorbed liquid.
- Green colour alerts workers that product is being used for hazardous liquids.
- Green colour also allows the user to identify and separate hazardous waste for disposal, resulting in lower disposal costs.
- Perforated for flexibility – tear at the perforations for smaller sized pads to use only what you need.



2-PLY
Meltblown + spunbound on
1 side, dimpled and
(optional) perforated



Perfect to clean up chemical spills...



... or for use in laboratories.

PADS

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UN100-E	813842	PADS, 41 cm x 51 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	89
UN1212-E	813843	PAD, Medium weight, bonded 30 cm x 30 cm, 50 pads/Bag, 4 Bags/disp.box	200 Pad(s) / Dispenser Box	77


ROLLS

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UN15-2DP-E	813844	ROLL, Medium weight, double perforated & bonded 38 cm x 46 m	2 Roll(s) / Box	149
UN15-DP-E	813845	ROLL, Medium weight, double perforated & bonded 38 cm x 46 m	1 Roll(s) / Dispenser box	75
UN15-DPS-E	813846	ROLL, Medium weight, double perforated & bonded 38 cm x 23 m	1 Roll(s) / Dispenser box	37
UN30-DP-E	813847	ROLL, Medium weight, double perforated & bonded 76 cm x 46 m	1 Roll(s) / Box	149
UN295-P	834177	ROLL, Medium weight, double perforated & bonded 19 cm x 15 m (60 pads per roll)	1 Roll(s) / Bag	12

HANDYSORB MOP - EASILY MOP INDUSTRIAL SPILLS

HandySorb is a unique and practical tool to safely remove spills in a highly efficient and easy way.

- Safe spill clean-up: works with inert pads or pillows that can be replaced without ever touching the absorbed fluids
- Easy to use: offers 1.83 metre reach when fully extended and features a no touch snap-on system for pads
- Highly efficient: each pad absorbs in seconds up to 25 times its weight



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
150597	150597	HandySorb Mop System Basic Universal Pad Refills with Mop Adapter	100 Pad(s) / Kit	47
150598	150598	HandySorb Mop System "No-Touch" Universal Pads	25 Pad(s) / Case	57
150599	150599	HandySorb Mop System "No-Touch" Universal Pillows	10 Piece(s) / Case	74

HANDYSORB MOPKIT

Every HandySorb mop system starter kit contains:

- 1 Handysord Mop head and handle
- 5 Handysorb no-touch universal pads



Order Reference	Article No.	Description	Includes	Absorption Capacity (Ltrs)
150600	150600	HandySorb Mop System Starter Kit	1 x HandySorb Mop Head, 1 x Handle, 3 x "No-Touch" Universal Pads	5.6

SPILLFIX GRANULAR - QUICKLY ABSORB ANY SPILL ON ANY SURFACE

Quickly remove spills from uneven or porous surfaces with a granular that does not generate cancerous silica dust.

- Quickly absorb any liquid.
- Does not release cancerous silica dust.
- Lightweight product with a microsponge honeycomb structure.
- 2.8 kg of SpillFix can absorb the same spill volume as 22.5 kg of clay based granular.
- Does not leave any slick residue behind.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
149060	149060	SpillFix Granular: 50 Ltr Bag, pallet of 48 each	48 Piece(s) / Pallet	26
149063	149063	SpillFix Granular: 15 Ltr Bag, pallet of 124 each	124 Piece(s) / Pallet	9.5
149116	149116	SpillFix Granular: 3 Ltr. Jar, pallet of 288 each	288 Piece(s) / Pallet	2
149265	149265	SpillFix Granular: 3 Ltr. Jar, case of 6 each	6 Piece(s) / Case	2

ACID SPILL KIT, BASE SPILL KIT AND BATTERY ACID SPILL KIT

SAFELY REMOVE ACID, BASE AND BATTERY ACID SPILLS

The Acid Spill Kit, Base Spill Kit and Battery Acid Spill Kit each contain a selection of solutions that enable users to combat small to medium spills:

- highly absorbing pads to wipe down equipment and remove spills
- SOC's to prevent spills from spreading on the workfloor
- neutralising polymers to neutralise acids and bases
- gloves and glasses to protect employees
- a waste disposal bag to contain all used equipment

Also included in each spill kit are practical, visual instructions for optimal product use.



Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
241135	241135	Battery Acid Specialty Spill Kit	1 Kit	20
241138	241138	Acid Neutralising Chemical Specialty Spill Kit	1 Kit	17
241139	241139	Base Neutralising Chemical Specialty Spill Kit	1 Kit	17



ORDERING SPILL KIT REFILLS

Please contact customer services to order Spill Kit refills. Contact details are listed on the catalogue back cover.

PORTABLE SPILL KITS - FOR FAST RESPONSE TO SMALL SPILLS.



ECONOMY SPILL KIT

- Yellow PVC bag with handles for high visibility.
- Compact size: Easy to put in small storage area, behind or under the seat of a truck.
- Ideal for carriers who occasionally transport small quantities of liquids.
- Water-resistant, lightweight bag keeps sorbents dry.

Kit contains: 10 pads (41 cm x 51 cm), 2 socks (Ø 7.6 cm x 122 cm), 1 pair of gloves and 1 disposal bag.

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKO-PP	813856	ECONOMY Spill Kit, Oil Only	1 Kit	18
SKA-PP	813857	ECONOMY Spill Kit, Maintenance	1 Kit	18
SKH-PP	813858	ECONOMY Spill Kit, Chemical	1 Kit	16



ATTACK PAC

- Single use kit: Ideal for small spills.
- UV resistant foil bag protects sorbents against moisture and dirt.

Kit contains: 15 pads (41 cm x 51 cm), 3 socks (Ø 7.6 cm x 100 cm), 1 pair of gloves, 1 pair of goggles and 1 disposal bag.

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKO-ATK	813859	ATTACK PAC, Oil Only	4 Kit/Box	69
SKA-ATK	813860	ATTACK PAC, Maintenance	4 Kit/Box	110
SKH-ATK	813861	ATTACK PAC, Chemical	4 Kit/Box	91

DRUM SPILL KITS - FOR MEDIUM AND LARGE SPILLS. PROTECT YOUR SORBENTS AGAINST MOISTURE, DIRT & DAMAGE.



LAB PACK

- Ideal for medium sized spills.
- Water and chemical resistant drum protects sorbents.
- Easy access to products thanks to screw top lid.
- Drum can be used as shipping container for used sorbents.

Kit contains: 12 pads (41 cm x 51 cm), 3 socks (Ø 7.6 cm x 366 cm), 2 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 3 disposal bags.

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKO-20	813869	LAB PACK, Oil Only	1 Kit	59
SKA-20	813870	LAB PACK, Maintenance	1 Kit	59
SKH-20	813871	LAB PACK, Chemical	1 Kit	57



ORDERING SPILL KIT REFILLS

Please contact customer services to order Spill Kit refills. Contact details are listed on the catalogue back cover.

SPC SPILL BOX - PADS IN A CONVENIENT DISPENSER BOX ALLOWING YOU TO CREATE MULTIPLE SPILL STATIONS AROUND YOUR SITE!

- Reusable plastic box can be refilled once all the sorbents have been used.
- The Spill Box is light enough to be hanged to laboratory and storage area walls or to be attached to a forklift.
- The bright yellow colour stands out for quick identification and use.
- Various application areas: in liquid storage areas, behind the seat of a truck, lab environments, in workstations that deal with liquids.



Use nearby your liquid storage area.

Spill Box

Order Reference	Article No.	Description	Absorption Capacity (Ltrs)
SA-SBO	813908	SPILL BOX, Oil Only, filled box with 15 pads	10
SA-SBA	813909	SPILL BOX, Maintenance, filled box with 15 pads	10
SA-SBH	813910	SPILL BOX, Chemical, filled box with 10 pads	9

Refills

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SXT200-E	813730	PADS, 41 cm x 51 cm, Light weight, perforated & bonded	200 Pad(s) / Box	136
UXT200-E	813807	PADS, 41 cm x 51 cm, Light weight, perforated & bonded	200 Pad(s) / Box	136
UN100-E	813842	PADS, 41 cm x 51 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	88

SKH-MINI - A FULLY DISPOSABLE SPILL KIT TO CLEAN UP SMALL CHEMICAL SPILLS QUICKLY, EASILY AND WITHOUT RISK OF INJURIES.

- Highly visible green colour.
- The autoclavable disposal bag is heat resistant up to 145°C to guarantee safe disposal of laboratory waste.
- Suited for spills of up to 1.7 litres, absorbing chemicals, water & oil based fluids.
- The specially designed disposable brush is intended to sweep up any broken glass or debris allowing a safe clean up without risk of injuries.
- Compact design: the SKH-MINI can easily be placed in any areas where it is most needed.
- Protective gloves are powder free, have roughened fingertips, increased tear resistance and a good chemical resistance for more safety.

Contents: 2 pads (41 cm x 51 cm), 1 pair of disposable chemical protective gloves, 1 autoclavable disposal bag, 1 disposable brush and 1 multilingual instruction guide.



Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKH-MINI	813868	Disposable spill kit, chemical	4 Kits/Box	7.00



SPILL CONTROL

Watch our Brady Spillbarrier and Slikstopper in action on <https://youtu.be/w4hifGZQOY8>

SPC SPILL BARRIER - DESIGNED TO CONTAIN OR DIVERT SPILLS EASILY AND QUICKLY!

- Easy to connect multiple barriers. No additional connectors needed.
- Ideal as a barrier in doorways during washdown operations, as a dam to control or contain spilled liquids or as a diverter to direct liquids away from valuable equipment or vulnerable areas.
- Yellow colour for high visibility.
- Chemical resistant: polyurethane resists water, oil and many chemicals.
- Re-usable after cleaning with soap and water.
- Works best on smooth surfaces.

Order Reference	Article No.	Description	Quantity
SB-3	813921	SPILL BARRIER, 3 m (L) x 10.5 cm (W) x 5.5 cm (H)	1
BAG-PU-L	813925	BAG for SB3, PU90 & PU110 Ø 25 cm x 130 cm	1




Keeps spills from entering drains.

SENTRY MAKE-A-BERM - THE IDEAL WAY TO CONTAIN LEAK PRONE EQUIPMENT AND/OR PROTECT BUSY WALKWAYS.

- Pliable construction (foam filled) - will spring back into shape, even if you drive over it with a forklift.
- User-friendly: Make a barrier any size or shape you want.
- Durable vinyl material resists oils, coolants and most chemicals.
- Easy to install.
- Yellow colour for high visibility.
- Cost savings: No need to build expensive cement curbs or to install metal barriers.


Order Reference	Article No.	Description	Quantity
SB-MAB-KIT	813980	MAKE-A-BERM, Kit incl. 2 x 7.6 m wall sections, 4 corners, 1 roll of strapping and 6 tubes of silicone caulk	1
SB-MAB-WALL	813981	MAKE-A-BERM, section of 4.5 m	1
SB-MAB-COR	813982	MAKE-A-BERM, Set of 2 corners	1



NEOPRENE SLIKSTOPPER - A BASIC, ECONOMICAL DRAIN SEAL TO PREVENT LIQUIDS FROM ENTERING DRAINS.

- Simple to use.
- Generally resistant to non-aggressive chemicals and acids, ozone, oils, fats, greases and solvents
- Unique size : 92 cm x 92 cm
- Unique colour : black
- Thickness : 3 mm
- Re-usable after cleaning with soap and water.

Order Reference	Article No.	Description	Quantity
NPR36	813920	SLIKSTOPPER, 92 cm x 92 cm	1



POLYURETHANE SLIKSTOPPER - A HEAVY DUTY DRAIN SEAL THAT SEALS OFF DRAINS AND KEEPS SPILLS OUT!

- Yellow colour for high visibility
- Chemical resistant: flexible polyurethane resists water, oil and many chemicals.
- Re-usable after cleaning with soap and water.
- Works best on smooth surfaces.

Order Reference	Article No.	Description	Quantity
PU50	196468	SLIKSTOPPER, PU, 50 cm x 50 cm	1
PU60	196469	SLIKSTOPPER, PU, 60 cm x 60 cm	1
PU90	196470	SLIKSTOPPER, PU, 90 cm x 90 cm	1
PU110	196471	SLIKSTOPPER, PU, 110 cm x 110 cm	1



HANDY BAG ALLOWS YOU TO CARRY THE SLIKSTOPPER RIGHT TO THE SPILL.

Order Reference	Article No.	Description	Quantity
BAG-PU-S	813923	BAG for PU50 & PU60 Ø 20 cm x 80 cm	1
BAG-PU-L	813925	BAG for SB3, PU90 & PU110 Ø 25 cm x 130 cm	1



RIGID LOCK QUICKBERM - PROACTIVELY CONTAIN SPILLS FROM DRUMS AND IBCs.



- Increased compliance with the EU Water Framework Directive (2000/60/EC) and ISO 14001.
- Increased workplace safety by avoiding slips and falls caused by spills.
- Collapsible sides to allow easy drive-in for forklifts.
- Exclusive wall support system with stainless steel braces - locks at 90° position.
- Small footprint which makes it easy to store.
- Long-lasting solution with high tear, abrasion, puncture and chemical resistance.



Order Reference	Article No.	Description	Quantity	Sump Capacity (Ltr)
SB-QB-RL21	198531	Spill Berm, QuickBerm Rigid Lock, EG-5, 1.5 m x 2.1 m x 30.5 cm	1	662
SB-QB-RL27	198532	Spill Berm, QuickBerm Rigid Lock, EG-5, 1.5 m x 2.7 m x 30.5 cm	1	890
SB-QB-RL33	198533	Spill Berm, QuickBerm Rigid Lock, EG-5, 3.3 m x 3.3 m x 30.5 cm	1	2820

QUICKBERM LITE - LIGHTWEIGHT AND COMPACT EMERGENCY SPILL CONTAINMENT.







- The reusable, lightweight yet heavy-duty QuickBerm Lite can easily be deployed by 1 person.
- Ideal emergency spill response solution for vehicles, trucks and maintenance shops
- Long lasting solution: made out of EG-1 PVC coated fabric with high tear, abrasion, puncture and chemical resistance.



Order Reference	Article No.	Description	Quantity	Sump Capacity (Ltr)
SB-QB-Lite12	198534	Spill Berm, QuickBerm Lite, EG-1, 1.2 m x 1.2 m x 20.3 cm	1	299
SB-QB-Lite18	198535	Spill Berm, QuickBerm Lite, EG-1, 1.2 m x 1.8 m x 20.3 cm	1	451
SB-QB-Lite24	198536	Spill Berm, QuickBerm Lite, EG-1, 1.2 m x 2.4 m x 20.3 cm	1	602

Floor marking tape for heavy traffic areas


	Solution	Key Features	Applications	
Good	Aisle Marking Tape B-726 Vinyl	More cost-effective solution for short application period	Temporary marking for 5S/LEAN areas, work cells that change and more	
Better	ToughStripe - Floor Marking Tape B-514 Polyester	Longer application period with more shape and customisability options	Visual workplaces in 5S/LEAN, walkways, aisle and medium traffic level areas	
Best	ToughStripe Max - Floor Marking Tape B-543 Vinyl	Highest durability	Higher forklift and industrial vehicle traffic	
Other	PaintStripe - Floor Marking Stencils B-518/B-519 for different surface types	Paint stencil for longer, more permanent marking	Permanent work area designation	

ToughStripe Max - Floor Marking Tape

B-543 Floor marking vinyl

- 1.27 mm thickness
- Service temperature range of -18°C to 60°C
- Application conditions: min. 10°C, dry floor
- Not recommended for outdoor use
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22

Article No.	Colour	Finish	Width A (mm)	Length B (m)
B-543: Vinyl				
149629	Yellow	Gloss	50.80	30.48
149636	Yellow	Gloss	76.20	30.48
149643	Yellow	Gloss	101.60	30.48
149633	White	Gloss	50.80	30.48
149640	White	Gloss	76.20	30.48
149647	White	Gloss	101.60	30.48
149634	Red	Gloss	50.80	30.48
149641	Red	Gloss	76.20	30.48
149648	Red	Gloss	101.60	30.48
149635	Orange	Gloss	50.80	30.48
149642	Orange	Gloss	76.20	30.48
149632	Green	Gloss	50.80	30.48
149639	Green	Gloss	76.20	30.48
149646	Green	Gloss	101.60	30.48
149631	Blue	Gloss	50.80	30.48
149638	Blue	Gloss	76.20	30.48
149645	Blue	Gloss	101.60	30.48
149630	Black & Yellow	Gloss	50.80	30.48
149637	Black & Yellow	Gloss	76.20	30.48
149644	Black & Yellow	Gloss	101.60	30.48



Get the Floor Marking guide



Toughstripe - Brady B-514 Floor Marking polyester

ToughStripe floor marking products are made with Brady's B-514 polyester. ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- 0.2 mm thickness
- Service temperature range of -18°C to 54°C
- Application conditions: min. 5°C, dry floor
- Recommended for indoor use and dry environment
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22

Toughstripe - Floor Marking Tape



Order Ref.	Width (mm)	Length (m)	Colour	
104340	76.20	30.48 m	Black	
104341	76.20	30.48 m	White	
104342	76.20	30.48 m	Yellow	
104343	76.20	30.48 m	Red	
104344	76.20	30.48 m	Blue	
104345	76.20	30.48 m	Green	
104346	76.20	30.48 m	Orange	
104347	76.20	30.48 m	Black & Yellow	
104348	76.20	30.48 m	Red & White	
104349	76.20	30.48 m	Black & White	
121914	76.20	30.48 m	Black & White	
121917	76.20	30.48 m	Red & White	
132431	76.20	30.48 m	Red & Yellow	
132434	76.20	30.48 m	Black & Orange	
132437	76.20	30.48 m	Green & White	
132440	76.20	30.48 m	Blue & Yellow	
134087	76.20	30.48 m	Purple	
134090	76.20	30.48 m	Brown	
134093	76.20	30.48 m	Grey	
104310	50.80	30.48 m	Black	
104311	50.80	30.48 m	White	
104312	50.80	30.48 m	Yellow	
104313	50.80	30.48 m	Red	
104314	50.80	30.48 m	Blue	
104315	50.80	30.48 m	Green	
104316	50.80	30.48 m	Orange	
104317	50.80	30.48 m	Black & Yellow	
104318	50.80	30.48 m	Red & White	
104319	50.80	30.48 m	Black & White	

Order Ref.	Width (mm)	Length (m)	Colour	
121913	50.80	30.48 m	Black & White	
121916	50.80	30.48 m	Red & White	
132430	50.80	30.48 m	Red & Yellow	
132433	50.80	30.48 m	Black & Orange	
132436	50.80	30.48 m	Green & White	
132439	50.80	30.48 m	Blue & Yellow	
134086	50.80	30.48 m	Purple	
134089	50.80	30.48 m	Brown	
134092	50.80	30.48 m	Grey	
104370	101.60	30.48 m	Black	
104371	101.60	30.48 m	White	
104372	101.60	30.48 m	Yellow	
104373	101.60	30.48 m	Red	
104374	101.60	30.48 m	Blue	
104375	101.60	30.48 m	Green	
104376	101.60	30.48 m	Orange	
104377	101.60	30.48 m	Black & Yellow	
104378	101.60	30.48 m	Red & White	
104379	101.60	30.48 m	Black & White	
121915	101.60	30.48 m	Black & White	
121918	101.60	30.48 m	Red & White	
132432	101.60	30.48 m	Red & Yellow	
132435	101.60	30.48 m	Black & Orange	
132438	101.60	30.48 m	Green & White	
132441	101.60	30.48 m	Blue & Yellow	
134088	101.60	30.48 m	Purple	
134091	101.60	30.48 m	Brown	
134094	101.60	30.48 m	Grey	



Custom ToughStripe tape


- Pre-printed tape with your custom message
- Die cut numbers and letters for safety, lean and other applications
- Specific die cut shape sizes
- Any colour you need, just provide a PMS number
- Striped or checkered tape available

Caution ESD area floor marking tape




Order Ref.	Width (mm)	Length (m)	Colour	Symbol
121364	50.80	30.48	Black on Orange	QA INSPECTION AREA
121365	76.20	30.48	Black on Orange	QA INSPECTION AREA
121366	101.60	30.48	Black on Orange	QA INSPECTION AREA
121367	50.80	30.00	Black on Yellow	CAUTION ESD AREA
121368	76.20	30.00	Black on Yellow	CAUTION ESD AREA
121369	101.60	30.00	Black on Yellow	CAUTION ESD AREA

Dots - 350 / roll




Order Ref.	Diameter (mm)	Colour	Symbol
104400	88.90	Red	●
104401	88.90	Green	●
104402	88.90	Blue	●
104403	88.90	Yellow	●
104404	88.90	Black	●
104405	88.90	White	○

Arrows - 100 / package



Order Ref.	Width (mm)	Height (mm)	Colour	Symbol
104412	50.80	127.00	Red	➔
104413	50.80	127.00	Green	➔
104414	50.80	127.00	Blue	➔
104415	50.80	127.00	Yellow	➔
104416	50.80	127.00	Black	➔
104417	50.80	127.00	White	➔
104418	76.20	203.20	Red	➔
104419	76.20	203.20	Green	➔
104420	76.20	203.20	Blue	➔
104421	76.20	203.20	Yellow	➔
104422	76.20	203.20	Black	➔
104423	76.20	203.20	White	➔
104424	101.60	254.00	Red	➔
104425	101.60	254.00	Green	➔
104426	101.60	254.00	Blue	➔
104427	101.60	254.00	Yellow	➔
104428	101.60	254.00	Black	➔
104429	101.60	254.00	White	➔

Centre Marks - “+” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour	Symbol
104466	50.80	127.00	Red	+
104467	50.80	127.00	Green	+
104468	50.80	127.00	Blue	+
104469	50.80	127.00	Yellow	+
104470	50.80	127.00	Black	+
104471	50.80	127.00	White	+
104472	76.20	203.20	Red	+
104473	76.20	203.20	Green	+
104474	76.20	203.20	Blue	+
104475	76.20	203.20	Yellow	+
104476	76.20	203.20	Black	+
104477	76.20	203.20	White	+
104478	101.60	254.00	Red	+
104479	101.60	254.00	Green	+
104480	101.60	254.00	Blue	+
104481	101.60	254.00	Yellow	+
104482	101.60	254.00	Black	+
104483	101.60	254.00	White	+



Watch the ToughStripe™ Floor Marking videos on www.bradyeurope.com/toughstripe



Use ToughStripe floor marking products to mark:

- aisleways and traffic lanes
- work cell outlines
- equipment storage areas
- material storage areas
- QA inspection areas
- defects/scrap/rework areas
- “Keep clear” zones
- hazard areas

Footprints - 10 / package (5 Right - 5 Left)



Order Ref.	Width (mm)	Height (mm)	Colour
104406	88.90	254.00	Red
104407	88.90	254.00	Green
104408	88.90	254.00	Blue
104409	88.90	254.00	Yellow
104410	88.90	254.00	Black
104411	88.90	254.00	White

Corner marks - “L” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour
104430	50.80	127.00	Red
104431	50.80	127.00	Green
104432	50.80	127.00	Blue
104433	50.80	127.00	Yellow
104434	50.80	127.00	Black
104435	50.80	127.00	White
104442	76.20	203.20	Red
104443	76.20	203.20	Green
104444	76.20	203.20	Blue
104445	76.20	203.20	Yellow
104446	76.20	203.20	Black
104447	76.20	203.20	White
104454	101.60	254.00	Red
104455	101.60	254.00	Green
104456	101.60	254.00	Blue
104457	101.60	254.00	Yellow
104458	101.60	254.00	Black
104459	101.60	254.00	White

Divider marks - “T” 20/ package



Order Ref.	Width (mm)	Height (mm)	Colour
104436	50.80	127.00	Red
104437	50.80	127.00	Green
104438	50.80	127.00	Blue
104439	50.80	127.00	Yellow
104440	50.80	127.00	Black
104441	50.80	127.00	White
104448	76.20	203.20	Red
104449	76.20	203.20	Green
104450	76.20	203.20	Blue
104451	76.20	203.20	Yellow
104452	76.20	203.20	Black
104453	76.20	203.20	White
104460	101.60	254.00	Red
104461	101.60	254.00	Green
104462	101.60	254.00	Blue
104463	101.60	254.00	Yellow
104464	101.60	254.00	Black
104465	101.60	254.00	White

Floor Marking Numbers & Letters (continued)


- Width: 146.05 mm
- Height: 203.20 mm

Order Ref.	Colour	
121847	Black	○
121848	White	○
121849	Red	○
121850	Green	○
121851	Blue	○
121852	Yellow	○
121853	Black	1
121854	White	1
121855	Red	1
121856	Green	1
121857	Blue	1
121858	Yellow	1
121859	Black	2
121860	White	2
121861	Red	2
121862	Green	2
121863	Blue	2
121864	Yellow	2
121865	Black	3
121866	White	3
121867	Red	3
121868	Green	3
121869	Blue	3
121870	Yellow	3

Order Ref.	Colour	
121871	Black	4
121872	White	4
121873	Red	4
121874	Green	4
121875	Blue	4
121876	Yellow	4
121877	Black	5
121878	White	5
121879	Red	5
121880	Green	5
121881	Blue	5
121882	Yellow	5
121883	Black	6
121884	White	6
121885	Red	6
121886	Green	6
121887	Blue	6
121888	Yellow	6
121889	Black	7
121890	White	7
121891	Red	7
121892	Green	7
121893	Blue	7
121894	Yellow	7

Order Ref.	Colour	
121895	Black	8
121896	White	8
121897	Red	8
121898	Green	8
121899	Blue	8
121900	Yellow	8
121901	Black	9
121902	White	9
121903	Red	9
121904	Green	9
121905	Blue	9
121906	Yellow	9
121907	Black	FUNC
121908	White	FUNC
121909	Red	FUNC
121910	Green	FUNC
121911	Blue	FUNC
121912	Yellow	FUNC

Pre-spaced Shapes (Spaced 457 mm apart)



Order Ref.	Diameter (mm)	Width (mm)	Height (mm)	Packaging	Colour	
104526	-	50.80	127.00	52	Red	▶▶▶▶
104527	-	50.80	127.00	52	Green	▶▶▶▶
104528	-	50.80	127.00	52	Blue	▶▶▶▶
104529	-	50.80	127.00	52	Yellow	▶▶▶▶
104554	-	50.80	127.00	52	Black	▶▶▶▶
104555	-	50.80	127.00	52	White	◻◻◻◻
104556	-	50.80	203.20	46	Yellow	▬▬▬▬
142177	-	50.80	203.20	46	White	◻◻◻◻
142178	-	50.80	203.20	46	Black	▬▬▬▬
142179	-	50.80	203.20	46	Red	▬▬▬▬
142180	-	50.80	203.20	46	Blue	▬▬▬▬
142181	-	50.80	203.20	46	Green	▬▬▬▬
104520	88.90	-	-	55	Green	●●●●
104521	88.90	-	-	55	Red	●●●●
104522	88.90	-	-	55	White	○●●○
104523	88.90	-	-	55	Yellow	●●●●
104524	88.90	-	-	55	Blue	●●●●
104525	88.90	-	-	55	Black	●●●●

ToughStripe for use with the BMP71 Label Printer

Ideal for marking aisles, passageways and storage locations.

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine


Order Ref.	Width (mm)	Length (m)	Colour
142140	25.40	15.24	White
142141	50.80	15.24	White
142142	25.40	15.24	Black
142143	50.80	15.24	Black
142144	25.40	15.24	Yellow
142145	50.80	15.24	Yellow
142146	25.40	15.24	Red
142147	50.80	15.24	Red
142148	25.40	15.24	Blue
142149	50.80	15.24	Blue
142150	25.40	15.24	Green
142151	50.80	15.24	Green
142152	25.40	15.24	Orange
142153	50.80	15.24	Orange



ToughStripe for use with the BBP35 and BBP37 label printers

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

Order Ref.	Width (mm)	Length (m)	Colour
139928	101.00	30.40	Orange
139929	57.00	30.40	Orange
139930	29.00	30.40	Orange
139931	101.00	30.40	Black
139932	57.00	30.40	Black
139933	29.00	30.40	Black
139934	101.00	30.40	Green
139935	57.00	30.40	Green
139936	29.00	30.40	Green
139937	101.00	30.40	Blue
139938	57.00	30.40	Blue
139939	29.00	30.40	Blue
139940	101.00	30.40	Red
139941	57.00	30.40	Red
139942	29.00	30.40	Red
139943	101.00	30.40	Yellow
139944	75.00	30.40	Yellow
139945	57.00	30.40	Yellow
139946	29.00	30.40	Yellow
139947	101.00	30.40	White
139948	75.00	30.40	White
139949	57.00	30.40	White
139950	29.00	30.40	White



Toughstripe floor marking tape

Removable area marking tape

ToughStripe is the ideal floor marking tape in a lean environment where the regular application and replacement of floor marking is crucial.

- Superior durability
- Easy application
- High visibility
- Die-Cut shapes
- Painless Removal



Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-483/B-634: Polyester with Polyester Overlaminated							
∞	B30C-1125-483BK-KT	Black	29.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483BL-KT	Blue	29.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483GN-KT	Green	29.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483OR-KT	Orange	29.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483RD-KT	Red	29.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483WT-KT	White	29.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-1125-483YL-KT	Yellow	29.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483BK-KT	Black	57.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483BL-KT	Blue	57.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483GN-KT	Green	57.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483OR-KT	Orange	57.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483RD-KT	Red	57.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483WT-KT	White	57.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-2250-483YL-KT	Yellow	57.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-3000-483WT-KT	White	75.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-3000-483YL-KT	Yellow	75.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483BK-KT	Black	101.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483BL-KT	Blue	101.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483GN-KT	Green	101.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483OR-KT	Orange	101.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483RD-KT	Red	101.00	30.40	1	B30-R4400	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483WT-KT	White	101.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100
∞	B30C-4000-483YL-KT	Yellow	101.00	30.40	1	B30-R6000HF	BBP35, BBP37, i3300, S3000, S3100

Printer compatibility



BradyPrinter S3000 SIGN & LABEL PRINTER
[Scan or click the QR-code](#)



BradyPrinter i3300
 INDUSTRIAL LABEL PRINTER
[Scan or click the QR-code](#)



BradyPrinter S3100 SIGN & LABEL PRINTER
[Scan or click the QR-code](#)



BBP 35 MULTICOLOUR SIGN & LABEL PRINTER
BBP 37 MULTICOLOUR & CUT SIGN & LABEL PRINTER
[Scan or click the QR-code](#)



Aisle marking tapes

- Long lasting, sticks fast to surfaces
- Material: Self-adhesive Vinyl (B-726)
- Length: 33 m
- Packaging: 1



Article No.	Width (mm)	Colour
058200	50.00	Yellow
058250	75.00	Yellow
058203	50.00	White
058253	75.00	White
058201	50.00	Red
058251	75.00	Red
058202	50.00	Green
058252	75.00	Green
058220	50.00	Blue
058221	75.00	Blue
058222	50.00	Black
058223	75.00	Black




Warning panels

Can be used wherever there are potential dangers to the work force.

Designed to give early warning about trucks, loading platforms, posts and fork-lift trucks.

- Material: B-7541 - Laminated Polyester


Article No.	Height (mm) x Width (mm)	Colour	Packaging
255322	286.00 x 428.00	Red & White	10



Reflective stripes & solid colour tapes

These tapes give an extra margin of safety during blackouts, at night, or in low light conditions.

- Material: Reflective Adhesive Material (B-957)
- Length: 4.5 m
- Standard Package: 1 roll



Article No.	Width (mm)	Colour
Reflective Solid Colour Tape		
078989	50.00	Orange
078990	75.00	Orange
078985	50.00	White
078987	75.00	White
078986	50.00	Yellow
078988	75.00	Yellow

Article No.	Width (mm)	Colour
Reflective Stripes Tape		
076310	50.00	Black & White
076309	50.00	Red & White
076313	75.00	Red & White
076308	50.00	Black & Yellow
076312	75.00	Black & Yellow



Warning tapes

- Self-adhesive warning film for marking pillars, pylons, the edges of walls, gate arches and lifts
- Extremely durable (0.138 mm thick)
- Waterproof, oil, alkali and acid resistant
- Material: Self-adhesive PVC
- Roll length: 33 m
- Packaging: 1 roll



Article No.	Width (mm)	Colour	
255311	38.00	Black & Yellow	
255312	50.00	Black & Yellow	
255313	75.00	Black & Yellow	
255295	38.00	Red & White	
255296	50.00	Red & White	
255297	75.00	Red & White	

i Anti-skid Laminated Polyester (B-7538) custom tapes available on request.

Durable marking tapes

Colours are sealed beneath a protective layer of abrasion resistant clear laminate.

- Aggressive adhesive holds on almost any clean, dry surface
- Markings stand up to toughest conditions - indoors or out
- Material: Self-adhesive vinyl (B-950)
- Standard Package: 1 roll
- Length: 16.5 m



Article No.	Width (mm)	Colour	
055290	25.00	Black & White	
055291	38.00	Black & White	
055292	50.00	Black & White	
055293	75.00	Black & White	
055300	25.00	Black & Yellow	
055301	38.00	Black & Yellow	
055302	50.00	Black & Yellow	
055303	75.00	Black & Yellow	
055312	38.00	Magenta & Yellow	
055313	50.00	Magenta & Yellow	
055314	75.00	Magenta & Yellow	
055294	25.00	Red & White	
055295	38.00	Red & White	
055296	50.00	Red & White	
055297	75.00	Red & White	



Barricade tapes

Visual barricading provides fast on-the-spot warning of potential dangers.

The non-adhesive tape can be used for temporary outdoor or permanent indoor applications. This tape can be tied, stapled or nailed to posts, fences or metal barricades.

- Material: Polyethylene
- Thickness: 0.075 mm
- Size: 75.00 mm x 250 m
- Packaging: 1 roll

Article No.	Legend	Article No.	Legend
256654		256858	
256660		256860	

- Thickness: 0.03
- Size: 75.00 mm x 500.00 m

Article No.	Colour
-------------	--------



Custom products available on request:

- Standard dimensions: 50mm x 250m and 75mm x 250m
- Background colours: Green, Orange, Red, Yellow, Blue, White
- Print of text and/or logo
- From 24 rolls

Underground warning tape

Underground tape is buried 30 to 45 cm below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.



- Available in 2 versions: detectable and undetectable
- Easily Seen
- Easily Identified - by means of colour coding
- Convenient - Handy dispensing reel
- Strong - Heavy duty polyethylene material resists acid, alkalis and other soil substances.
- Long Lasting - Coated graphics provide long lasting legibility and hold colour values
- Economical - Compared to the potential cost of line damage, this tape is cost-effective for use over the entire length of the line
- Standard dimensions: 75mm x 250m and 150mm x 250m
- Minimum order quantity: 50 rolls of 75mm x 250m or 25 rolls of 150mm x 250m
- Black print on any background colour

Contact us to get an offer for your project.



Warning posts

Ideal for controlling and directing foot traffic. Suitable for warehouses, factories, offices, etc.

Chains and ribbons can be attached to the sturdy 90 cm high posts. The posts are available in one-colour or two-colour versions (stripes of 10 cm wide).

- Material: polyethylene
- Non-conductive: the posts can be used for barricading electrically hazardous installations
- Built-in ultraviolet inhibitors: block out ultraviolet rays to prevent colours from fading
- Colours: they stay bright and eye-catching, even after years of use
- Sizes: height: 900.00 mm, outside diameter: 40.00 mm

Article No.	Colour	Height (mm)	Quantity / Package
Triangular plastic base only (empty - no cement) (29 x 9 cm)			
292245	Black		1
Rubber base only (27 x 5 cm)			
256728	Black		1
Post & triangular plastic base (no cement)			
292240	Black & Yellow	900.00	4
292233	Red	900.00	4
292238	Red & White	900.00	4
292235	White	900.00	4
Post & top (no base)			
292241	Black & Yellow	900.00	1
292244	Red	900.00	1
292242	Red & White	900.00	1
292243	White	900.00	1
Post & rubber base (1,6 kg)			
256724	Black & Yellow	900.00	4
256730	Red	900.00	4
256723	Red & White	900.00	4
256726	White	900.00	4
Post & fillable base (3,7 l)			
256722	Black & Yellow	900.00	4
256729	Red	900.00	4
256721	Red & White	900.00	4
256725	White	900.00	4
Post & cement base (3,5 kg)			
292236	Black & Yellow	900.00	4
292234	Red	900.00	4
292237	Red & White	900.00	4
292239	White	900.00	4
Fillable base only (25 x 6 cm)			
256727	Black		1
Cement base only (29 x 9 cm)			
292246	Black		1
BradyPost Top			
292247	Black		1
292248	Red		1
292249	White		1



Triangular plastic or cement base

Fillable base

Rubber base

Message sign

Create an even safer work environment by using these universal signs. The plastic frame simply clips to the Brady posts.


- Kit contains: frame + 2 attachment clips + 1 chain (black, 20 cm)
- Colour: Black
- Packaging: 1
- Signs not included in kit

Article No.	Width (mm)	Height (mm)	Description
292250	210.00	297.00	Message Sign Kit A4



Brady warning chain

- Material: Polyethylene
- Standard Package: 25 m (2.7 kg)




Dimensions	
A:	50.00 mm
B:	34.00 mm
C:	12.00 mm
D:	28.00 mm
E:	8.00 mm

Article No.	Width (mm)	Height (mm)	Colour
278271	28.00	50.00	Yellow
278268	28.00	50.00	White
278269	28.00	50.00	Red & White
278270	28.00	50.00	Black & Yellow

Brady connecting hooks

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: attaching lengths of chains



Article No.	Width (mm)	Colour
078257	50.00	Yellow
078258	50.00	White
078259	50.00	Black

Brady connecting links

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: for a more permanent application or repairing chain links, these connecting links can be used



Article No.	Width (mm)	Colour
078248	50.00	Black
078247	50.00	White
078246	50.00	Yellow

BradyLink® warning post & chain

Barricade potentially hazardous areas indoors or outdoors with portable plastic posts and chains. Their lightweight yet tough construction stands up to years of use in temporary or permanent applications.



The components of the posts and chains are made of polyethylene with the following features:

- Built-in Ultraviolet Inhibitors: Screen out the sun's rays to prevent colours from fading during outdoor use
- Light-weight: chain is lighter than similar metal parts – chain weights 2.7 kg per 25 metres
- Non-rusting: Unlike metal posts and chain BradyLink, plastic parts cannot rust
- Fillable Base: Hollow base can be filled with water or sand for more stable application
- C-hook: Large C-hook holds chain in place. Use open, or closed for greater security

Brady warning posts

- Post Diameter: 75.00 mm
- Base Diameter: 400.00 mm
- Height: 1040.00 mm

Article No.	Colour	Packaging
092116	Black	1
092119	Black	6
092118	Yellow	1
092121	Yellow	6



Heavy duty floor stands & Economy floor stands

Heavy duty floor stands

Easily transportable, these stands are very useful to carry with and clearly indicate substantial dangers such as slippery zones. They are ideal for hospitals or public halls for example.

- Heavy duty yellow high density polypropylene
- Height (closed): 660.00 mm
- Maintenance free : will not dent or corrode
- Large message area is visible from over 9 metres
- Available with a range of standard messages or as a blank stand



Order Reference				
092110	256700	256701	256702	256704



Order Reference			
256705	256706	256708	256709

Economy floor stands

- Printed on both sides –inside and out- offering two stands for the price of one
- Lightweight corrugated polypropylene material
- Packaging: 1 piece
- Height (closed): 500.00 mm - Width: 300.00 mm

BRADY
Customise-it

Contact your Brady Specialist for more information on customised Floor Stands



Order Reference		
092284	256711	256712

Africa

Randburg, South Africa
 Tel.: +27 11 704 3295
 Email: africa@bradycorp.com

Benelux

Zele, Belgium
 Tel.: +32 (0) 52 45 78 11
 Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
 Tel.: +421 2 3300 4800
 Email: central_europe@bradycorp.com

Denmark

Odense
 Tel.: +45 66 14 44 00
 Email: denmark@bradycorp.com

France

Roncq
 Tel.: +33 (0) 3 20 76 94 48
 Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
 Tel.: +49 (0) 6103 7598 660
 Email: germany@bradycorp.com

Hungary

Budaörs
 Tel.: +36 23 500 275
 Email: central_europe@bradycorp.com

Italy

Gorgonzola
 Tel.: +39 02 26 00 00 22
 Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
 Tel.: +971 4881 2524
 Email: me@bradycorp.com

Norway

Kjeller
 Tel.: +47 70 13 40 00
 Email: norway@bradycorp.com

Romania

Bucharest
 Tel.: +40 21 202 3032
 Email: central_europe@bradycorp.com

Russia

Moscow
 Tel.: +7 495 269 47 87
 Email: central_europe@bradycorp.com

Spain & Portugal

Madrid, Spain
 Tel.: +34 900 902 993
 Email: spain@bradycorp.com,
 portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
 Tel.: +46 (0) 8 590 057 30
 Email: sweden@bradyeurope.com

Turkey

Istanbul
 Tel.: +90 212 264 02 20 / 264 02 21
 Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
 Tel.: +44 (0) 1295 228 288
 Email: uk@bradycorp.com

Our mission is to identify and protect people, products and places



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on www.bradyeurope.com.

 Search for: EUR-M-099-EN

Your distributor

DYNAMIC Systems GmbH
 Inninger Straße 11
 82237 Wörthsee
 Tel.: +49 8153 9096-0, Fax: -96
 info@dynamic-systems.de
 www.dynamic-systems.de

25/03/2020